

# AMENDMENTS TO THE CLAIMS

Please cancel Claims 4 to 8 and 13 to 18.

Please amend the claims as follows:

Claim 1 (once amended). A pipe cleaning system capable of cleaning an inside and an outside of a pipe, comprising:

(a) an interior cleaning member being adapted to clean the inside of the pipe;

(b) an exterior cleaning member being adapted to clean the outside of the pipe;

(c) a joining means for removably securing the interior cleaning member to the exterior cleaning member by snap or slide fasteners;

(d) the interior cleaning member having a male housing;

(e) the male housing having a drive member and a male cleaning member mounted thereon to form the interior cleaning member;

(f) the exterior cleaning member having a female housing adapted to receive the male housing;

(g) the exterior cleaning member having a female housing adapted to clean the outside of the pipe;

(h) the exterior cleaning member having a female housing adapted to receive the male housing; [[ and]]

(i) the exterior cleaning member having a female housing and a female cleaning member adapted to receive the pipe.

(j) the joining system being a bayonet system;

(k) the male housing having at least two male bayonet

attachment devices thereon;

(k) the female housing having at least two female bayonet attachment devices thereon;

(l) each male member of the at least two at least two male bayonet attachment devices having a corresponding female member in the at least two female bayonet attachment devices;  
and

(m) each male member being adapted to cooperate with the corresponding female member.

Claim 2 (now cancelled).

Claim 3 (now cancelled).

Claim 4 (now cancelled).

Claim 5 (now cancelled).

Claim 6 (now cancelled).

Claim 7 (now cancelled).

Claim 8 (now cancelled).

Claim 9 (now cancelled).

Claim 10 (now cancelled).

Claim 11 (now cancelled).

Claim 12 (now cancelled).

Claim 13 (now cancelled).

14. (once amended) The pipe cleaning system of ~~Claim 13~~  
Claim 1 further, comprising:

- (a) the female housing having a conical shape;
- (b) the male housing having a conical shape;
- (c) the female housing being adapted to receive the male housing; and

- (d) the female housing being releasably attachable to the male housing.

15. (originally presented) The pipe cleaning system of Claim 14 further, comprising:

- (a) the female housing having an arced conical shape;
- (b) the male housing having an arced conical shape;
- (c) the female housing being adapted to receive the male

housing; and

- (d) the female housing being releasably attachable to the male housing.

16. (once amended) The pipe cleaning system of ~~Claim 13~~  
Claim 13 further, comprising:

- (a) the female housing having a cylindrical shape;
- (b) the male housing a cylindrical shape;
- (c) the female housing being adapted to receive the male housing; and

(d) the female housing being releasably attachable to the male housing.

17. (once amended) The pipe cleaning system of ~~Claim 13~~  
Claim 13 further, comprising:

- (a) the drive member being a drill mounting post;
- (b) the drill mounting post being receivable in a power drill; and

(c) the female housing being releasably attachable to the male housing with the mounting post secured in the power drill.

18. (originally presented) The pipe cleaning system of Claim 17 further, comprising:

(a) the at least two female bayonet attachment devices being six female bayonet attachment devices; and

(b) the at least two male bayonet attachment devices being six male bayonet attachment devices.

19. (originally presented) The pipe cleaning system of Claim 18 further, comprising:

- (a) the female housing having a conical shape;
- (b) the male housing having a conical shape;
- (c) the female housing being adapted to receive the male housing; and

(d) the female housing being releasably attachable to the male housing.

20. (originally presented) The pipe cleaning system of Claim 19 further, comprising:

- (a) the female housing having an arced conical shape;
- (b) the male housing having an arced conical shape;
- (c) the female housing being adapted to receive the male housing;


(d) the female housing being releasably attachable to the male housing;

(e) the drive member being a drill mounting post;

(f) the drill mounting post being receivable in a power drill; and

(g) the female housing being releasably attachable to the male housing with the mounting post secured in the power drill.

Please cancel Claims 2 to 13.

  
Mathew R. P. Perrone, Jr.